SWIMMING POOL

LIGHTING

ASTRALPOOL

124 POOL LED LIGHTING
125 Smart pool lighting
125 LumiPlus Connect
126 Lumiplus Plug & Play,
127 LumiPlus Flexi & Mini Pure,
132 Mounts and Frames, Flexi
133 Plug & Play Projector,
135 Lumiplus Flexi Mini
136 Flexi mini mounts and frames,
137 Flexi mini housings.
138 Lumiplus plug&play
139 Lumiplus Design Projectors
140 LUMIPLUS ESSENTIAL
141 PAR 56 Bulbs
142 Kits
143 Flat Projectors
144 Rapid Projectors
145 Essential Hive Guide
146 Lumiplus Spa Projectors
147 Lumiplus Connect
151 Halogen lamps
152 Connection boxes
153 Beehives
155 Aquarmony Water Speaker

ZODIAC®

155 LED LIGHTING NL

Accessories

158 ACCESSORIES
159 TRANSFORMERS

LumiPlus Connect

EXPERIMENT

FLUIDRA POOL

LIGHTING YOUR FINGERS AT THE END

Revolutionize your lighting control experience with our adaptable solutions.
Manage your pool lighting seamlessly with our Fluidra Pool App, designed for both Android and iPhone users. Enjoy the freedom to control your pool lights as you wish with the added convenience of a remote control.

FROM EVERYWHERE ALWAYS CONTROL

Integrate our system effortlessly. The Fluidra Pool ecosystem allows for centralized control of your pool via the Fluidra Pool app, wherever you are. Create a captivating pool environment with color customization, set schedules, and easily select colors or sequences.

VER1ML1L1 E WE ARE FOCUSING

Experience energy efficiency like never before with our innovative solution. Easily schedule the on and off times of your lights and take control of the light level with our dimming feature. LumiPlus Connect two watts

It is available in sufficient power and is designed to adapt to every area and pool size, providing the perfect lighting solution.

POOL LED LIGHTING

LumiPlus Connect

Fluidra Pool App1 (iOS/Android) with smartphone control

LumiPlus
Flexi

LumiPlus
FlexiMini

Light color	lumen	Lighting area*
	2,750 lm	20-25 meters$_2$
	4,300 lm	25-35 meters$_2$
	2,000 lm	20-25 meters$_2$
	2,500 lm	20-25 meters$_2$
	3,500 lm	25-35 meters$_2$

	Light color	lumen	Lighting area*
STAIRS		450 lm	3 - 5 meters$_2$
		300 lm	3 - 5 meters$_2$
WALL		900 lm 8 - 12 meters$_2$	
		600 lm 8 - 12 M$_2$	

* The lighting area is an estimate and may vary depending on the color of the coating and the shape of the swimming pool.

LumiPlus Connect
commercial video

LumiPlus Connect
installation video

LumiPlus Plug&Play

12	8	8		15
COLORS	**SERIES**	SPEEDS	ABBREVIATION	**SIGNAL PER METER**

LumiPlus
Flexi

Lighting area*

Light color	lumen	
	2,000 lm	20-25 meters$_2$

LumiPlus
FlexiMini

Light color	lumen	Lighting area*
stairs	300 lm	3-5 meters$_2$
WALL	600 lm	3-5 M$_2$

LumiPlus PAR56
lambas1

Light color	lumen	Lighting area*
	2,000 lm	20 - 25 meters$_2$

LumiPlus Plug and Play
commercial video

* The lighting area is an estimate and may vary depending on the color of the coating and the shape of the swimming pool.

FLEXI AND FLEXIMINI PURE

NEW 2026

DISCOVER HOW EASY ASSEMBLY WAS:

Swimming pool type	CONCRETE	LINER
Easy Assembly	FlexiBulb 77572 FlexiPure frame 59813 Beehives	Flexi Bulb 77573 FlexiPure frame 77579 Beehives
Conclusion		

FLEXI PURE

CONCRETE	LINER	F1BERGLASS

FLEXIMINI PURE

Smart and easy
Pool Lighting

Explore our product range.

CONTROL S1STEM1	OPEN COLOUR	ASSEMBLY TYPE 1				
		Retrofit Lamp	Hive Assembly made_	Surface Mount Edilmi_	To the nozzle Assembled	To the pipe Assembled
PLUG & PLAY CONNECT						
Fluidra Pool Application1	All	Flexi & FlexiMini	FlexiHouse & FlexiMini Hive	FlexiSlim	FlexiRapid, FlexiMini Nozzle L & S	FlexiMini Pipe
Plug & Play Remote control	RGB	PAR56, Flexi & FlexiMini	FlexiHouse & FlexiMini Hive	FlexiSlim	FlexiRapid, FlexiMini Nozzle L & S	FlexiMini Pipe
ON/OFF						
On/Off	W/WW	Flexi & FlexiMini	FlexiHouse & FlexiMini Hive	FlexiSlim	FlexiRapid, FlexiMini Nozzle L & S	FlexiMini Pipe
ESSENT1AL						
RC1100 Remote control	RGB RC1100	PAR56	PAR56 Projector	Flat Projector	Rapid Projector	
RC1100 Remote Remote control + Range Extender	RGB	PAR56	PAR56 Projector & Mini Hive	Flat Projector	Rapid Projector	Mini Wall Pipe
Turning on and off	W/WW	PAR56	PAR56 Projector & Mini Hive	Flat Projector	Rapid Projector	Mini Wall Pipe

LumiPlus Flexi & FlexiMini

COMPACT DESIGN,
MAX 1 CANDLE SPECIALIZED

CREATE YOUR LIGHTING IN 1K1 STEPS

LumiPlus Flexi and FlexiMini floodlights are two-component underwater floodlights: an LED and a frame. Flexi floodlights can be surface-mounted in a housing, nozzle, or surface, while FlexiMini floodlights can be mounted in a housing, nozzle, or a concrete passageway (pipe).

Create your own projector by following the next two steps:

1

LED

STEP 1:LED type and 1k color

+

2

Assembly attached & frame

STEP 2: Assembly included and frame color election

1 Lightbulb

Step 1

LED bulb type and color selection.

LUMIPLUS FLEXI

Flexi Connect Light Bulbs

LumiPlus Flexi Connect bulbs provide complete control over the light. The bulbs are available in white, warm white, adjustable white, RGB, and RGBW color options. Easy and intuitive control via the LumiPlus Connect Control Unit and Fluidra Pool App (or optionally a Connect control unit and a Connect remote). Operates on 12V AC. 2.5m cable included.

Colour	Code	Colour	Competence	Strength	I_1k ak1s1	Unit Price EURO
Flexi Connect W 2750lm Bulb	76600	White	E	27 B (38VA)	2,750 lm	270.00
Flexi Connect WW 2750lm Bulb	76600WW	Warm White	E	27 B (38VA)	2,750 lm	270.00
Flexi Connect TW 2750lm Bulb	76600TW	Adjustable White	E	27 B (38VA)	2,750 lm	320.00
Flexi Connect RGB 2000lm Bulb	76600M	RGB	G	34.5 W (45 VA)	2,000 lm	340.00
Flexi Connect RGBW 2500lm Bulb	76600 MW	RGBW	G	38 W (49 VA)	2,500 lm	360.00
Flexi Connect W 4300lm Bulb	76601	White	E	42 W (60 VA)	4,300 lm	320.00
Flexi Connect WW 4300lm Bulb	76601WW	Warm White	E	42 W (60 VA)	4,300 lm	320.00
Flexi Connect TW 4300lm Bulb	76601TW	Adjustable White	E	42 W (60 VA)	4,300 lm	360.00
Flexi Connect RGBW 3500lm Bulb	76601MW	RGBW	G	56 W (72 VA)	3,500 lm	390.00

Color temperatures: White = 5700 K / Warm white = 3000 K / Adjustable white = between 2500 K and 6000 K. Always work with Connect Controller code 76290.

LumiPlus Plug&Play Flexi Bulbs offer the easiest and most enjoyable way to brighten up your pool with vibrant colors. All you need is a Plug&Play bulb and a Plug&Play remote control. Operates on 12V AC. 2.5m cable included.

Colour	Code	Colour	Competence	Strength	I_1k ak1s1	Unit Price EURO
Flexi Plug&Play Bulb	76579M	RGB	G	34.5 W (45 VA)	2,000 lm	270.00
Kit 1xFlexi Plug&Play 1 Bulb+1 remote control	76580M	RGB	G	34.5 W (45 VA)	2,000 lm	400.00
Kit 2xFlexi Plug&Play 2Bulb+1controller	76581M	RGB	G	34.5 W (45 VA)	2,000 lm	640.00

Plug&Play remote control is compatible with 74399.

LUMIPLUS FLEXI

LumiPlus Flexi on/off lights are monochrome white lights available in white and warm white, and operate on 12V AC or 24V DC. Keep it simple, just switch them on to illuminate your pool. Includes a 2.5m cable.

	Code	Colour	Efficiency	Strength		Lumen unit price Euro
Flexi on/off white 2750lm bulb	76573	White	F	28 W (40 VA)	2,750 lm	195.00
Flexi on/off warm white 2750lm bulb	76573WW	Hot White	F	28 W (40 VA)	2,750 lm	195.00

Color temperature: White = 5700 K / Warm white = 3000 K.
Lamps operating with DC have a 24Vdc power pack.

2 Fastening system and frame

Step 1, Step 2

Choose the fastening system and frame color.

MADE IN EUROPE

SALT WATER

LUMIPLUS FLEXI
FlexiNiche fastening systems and frames

Compatible with all types of niches from D.180 mm to D.230 mm. Frame dimensions: Ø 294 x 20 mm. **Fully stainless steel dimensions: Ø 310 x 20 mm.

Colour	Code	Excluding VAT Price
White	71209	78.00
Beige	71209CL090	83.00
Gray	71209CL129	83.00
Anthracite	71209CL144	83.00
Stainless steel ring and ABS fastening system.	71209CLSS	166.00
Full stainless steel	73440	350.00

LUMIPLUS FLEXI
FlexiSlim fastening systems and frames

It can be surface-mounted on new pools or clipped onto existing AstralPool surface-mounted mounting elements. Frame dimensions: Ø 290 x 51 mm.

Colour	Code	Excluding VAT Price
White	71210	73.00
Beige	71210CL090	83.00
Gray	71210CL129	83.00
Anthracite	71210CL144	83.00

LUMIPLUS FLEXI
FlexiRapid fastening systems and frames

Compatible with any 1 = ½ internal thread nozzle. Frame dimensions: Ø 267 x 49 mm.

Colour	Code	Excluding VAT Price
White	71211	47.00
Beige	71211CL090	50.00
Gray	71211CL129	50.00
Anthracite	71211CL144	50.00

LUMIPLUS FLEXI

Flexi Plug&Playprojectors

Easy to assemble, easy to control: a very intuitive RGB control system that requires no additions to the electrical panel. There are three types of LumiPlus Flexi projectors:
FlexiNiche: Fits any beehive with an inner diameter between 180 and 230 mm.
FlexiSlim: Can be surface-mounted on new pools or attached to existing AstralPool surface fittings. FlexiRapid: Compatible with any 1.5" internal thread nozzle.
You can choose between options with or without the LumiPlus Plug & Play remote control.

ORDINARY	Code	frame color	color	Productivity	Strength	Lumen	Unit price1 EURO
FlexiNiche Plug&Play	76582M	White	RGB	G	34.5 W (45 VA)	2,000 lm	270.00
FlexiSlim Plug&Play	76584M	White	RGB	G	34.5 W (45 VA)	2,000 lm	250.00
FlexiRapid Plug&Play	76586M	White	RGB	G	34.5 W (45 VA)	2,000 lm	270.00
FlexiNiche Plug&Play + remote control	76583M	White	RGB	G	34.5 W (45 VA)	2,000 lm	440.00
FlexiSlim Plug&Play+ remote control	76585M	White	RGB	G	34.5 W (45 VA)	2,000 lm	380.00
FlexiRapid Plug&Play+ remote control	76587M	White	RGB	G	34.5 W (45 VA)	2,000 lm	440.00

The Plug&Play remote control is compatible with model 74399.

Flexi On/Off projectors

LumiPlus Flexi On/Off floodlights are monochrome white floodlights available in white and warm white, operating on 12V AC or 24V DC. Simply switch them on to illuminate your pool.
There are three types of LumiPlus Flexi projectors:
FlexiNiche: Fits any beehive with an inner diameter between 180 and 230 mm.
FlexiSlim: Can be surface-mounted on new pools or attached to existing AstralPool surface fittings. FlexiRapid: Compatible with any 1.5" internal thread nozzle.

ORDINARY	Code	frame color	color	Efficiency	Strength	Lumen	Unit price1 EURO
FlexiNiche On/Off White	76576	White	White	F	28 W (40 VA)	2,750 lm	280.00
FlexiSlim On/Off White	76577	White	White	F	28 W (40 VA)	2,750 lm	215.00
FlexiRapid On/Off White	76578	White	White	F	28 W (40 VA)	2,750 lm	240.00

Color temperatures: White = 5700 K / Warm white = 3000 K.
Projectors that operate with DC have a 24Vdc power pack.

Hive Selection Guide

Case for Lumiplus Flexi

ASSEMBLY TYPE	PROJECTOR TYPE	POOL TYPE		
		CONCRETE	CONCRETE + LINER	F1BERGLASS
	NEW 2026 Flexi Pure 77572	 59813	-	-
	NEW 2026 Flexi Pure 77573	 00349 / 00355 / 59813	 77579	-
 230 mm casings	FlexiNiche 71209	 00349 / 00355	 17805	 00364 / 00367
 180 mm casings	FlexiNiche 71209	 59813	 59814	 59814
 Stainless steel housings	Flexi Hive complete stainless steel 73440	 54102	 54103	 54103
	FlexiSlim 71210	Assembly connection1 parts1 projector given together	Adapter number 71234 not including	Assembly parts1 It is supplied with the projector.
	FlexiRapid 71211	 35418*	 59983 17382*	 74179*

1 LumiPlus FlexiMini

Step 1 **Select Lumiplus Flexi Mini**

FLUIDRA POOL

LumiPlus FlexiMini Connect lamps provide complete control over the light. The lamps are available in white, warm white, adjustable white, RGB, and RGBW. Easy and intuitive control via the LumiPlus Connect Controller and Fluidra Pool App (or optionally a Connect controller and a Connect remote). Operates on 12V AC. A 2.5m cable is included.

	Code	Colour	Efficiency	Strength	Lumen	Unit price1 EURO
Flex Mini Ladder W Lightbulb	76602	White	D	3.5 W (4.5 VA)	450 lm	200.00
FlexiMini Ladder WN Lightbulb	76602WW	Warm white	D	3.5 W (4.5 VA)	450 lm	240.00
FlexiMini Staircase TW Lightbulb	76602TW	Adjustable White	D	3.5 W (4.5 VA)	450 lm	210.00
FlexiMini RGB for Stairs Lightbulb	76602M	RGB	G	4 W (6 VA)	300 lm	230.00
FlexiMini RGBW for Stairs Lightbulb	76602MW	RGBW	F	5W (7.5 VA)	400 lm	270.00
Flex Mini Wall Mounted Lightbulb	76603	White	D	7 W (10.5 VA)	900 lm	240.00
FlexiMini Wall for WW Lightbulb	76603WW	Warm white	D	7 W (10.5 VA)	900 lm	240.00
FlexiMini TW for Wall Lightbulb	76603TW	Adjustable White	D	7 W (10.5 VA)	900 lm	250.00
FlexiMini RGBW for Wall Lightbulb	76603MW	RGBW	F	10 W (15 VA)	800 lm	270.00

FlexiMini Plug&Play Light Bulbs

LumiPlus Plug&Play FlexiMini lights offer the easiest and most enjoyable way to illuminate your pool in a truly colorful way. All you need is a Plug&Play light and a Plug&Play remote control. Operates on 12V AC. 2.5m cable included.

	Code	color	Efficiency	Power	Lumen	Unit price1 EURO
Flex Mini Ladder Plug and play Lightbulb	76588M	RGB	G	4 W (6 VA)	300 lm	205.00
Flex Mini Wall Plug and Play Lightbulb	76589M	RGB	G	8 W (12 VA)	600 lm	210.00
Kit 3xFlexiMini Wall Plug and play Lightbulb **+ remote control**	76590M	RGB	G	8 W (12 VA)	600 lm	760.00

The Plug&Play remote control is compatible with model 74399.

Light bulbs

LumiPlus FlexiMini on/off bulbs are single-color white bulbs available in white and warm white, and operate on 12V AC or 24V DC. Keep it simple, just switch them on to illuminate your pool. Includes a 2.5m cable.

	Code	color	Efficiency	Strength	Lumen	Unit price1 EURO
FlexiMini Ladder On/Off W Bulb	74400	White	D	3.5 W (6 VA)	450 lm	155.00
FlexiMini Ladder On/Off WW Bulb	74400WW	Hot White	D	3.5 W (6 VA)	450 lm	155.00
FlexiMini Wall On/Off WW Bulb	74406WW	Hot White	D	7.2 W (10.5 VA)	900 lm	170.00
FlexiMini Ladder On/Off DC Power Bulb	74401	White	C	3 W (3 VA)	450 lm	190.00
FlexiMini Ladder On/Off DC WW Bulb	74401WW	Hot White	C	3 W (3 VA)	450 lm	190.00

Color temperatures: White = 5700 K / Warm white = 3000 K.
Lamps operating with DC have a 24Vdc power pack.

2 Assembly system and frame

Step 1, Step 2

Choose the fastening system and frame color.

MADE IN EUROPE

SALT WATER

LUMIPLUS FLEXIMINI

FlexiMini Pure frames - for concrete or polyester pools.

Compatible with concrete pool casing 77575 and polyester pool nozzle 77576. Frame dimensions: Ø115 × 6 mm (thickness)

Colour	Code	Unit Price EURO
White	77574	80.00
Beige	77574CL090	85.00
Gray	77574CL129	85.00
Anthracite	77574CL144	85.00
Stainless steel	77574CLSS	85.00

LUMIPLUS FLEXIMINI

FlexiMini Pure fastening systems and frames - Liner pools

The liner pool housing is compatible with model 77578. Frame dimensions: Ø119 × 9 mm (thickness)

Colour	Code	Unit Price EURO
White	77577	75.00
Beige	77577CL090	85.00
Gray	77577CL129	85.00
Anthracite	77577CL144	85.00
Stainless steel	77577CLSS	85.00

LUMIPLUS FLEXIMINI

FlexiMini Housing fastening systems and frames

Mini beehives with codes 06967, 00369 or 49828 can be mounted. Frame dimensions: Ø 161 x 15.5 mm.

Colour	Code	Unit Price EURO
White	74392	30.00
Beige	74392CL090	31.00
Gray	74392CL129	31.00
Anthracite	74392CL144	31.00
Stainless steel	74392CLSS	90.00

LUMIPLUS FLEXIMINI

FlexiMini Nozzle L mounting systems and frames

It is mounted on nozzles with a diameter of Ø 116 mm or smaller. Frame dimensions: Ø 132 x 22 mm.

Colour	Code	Unit Price EURO
White	74393	30.00
Beige	74393CL090	31.00
Gray	74393CL129	31.00
Anthracite	74393CL144	31.00
Stainless steel	74393CLSS	98.00

LUMIPLUS FLEXIMINI

FlexiMini Nozzle S mounting systems and frames

It is mounted on nozzles with a diameter of Ø 90 mm or smaller.
Frame dimensions: Ø 96 x 19.5 mm.

Colour	Code	Unit Price EURO
White	74394	27.00
Beige	74394CL090	27.00
Gray	74394CL129	27.00
Anthracite	74394CL144	27.00
Stainless steel	74394CLSS	80.00

LUMIPLUS FLEXIMINI

FlexiMini Pipe fastening systems and frames

They are mounted on pipe or wall bushings in concrete pools. Frame dimensions: Ø 96 x 12 mm.

Colour	Code	Unit Price EURO
White	74395	41.00
Beige	74395CL090	46.00
Gray	74395CL129	46.00
Anthracite	74395CL144	46.00
Stainless steel	74395CLSS	89.00

Case for LumiPlus FlexiMini

ASSEMBLY TYPE	PROJECTOR TYPE	POOL TYPE		
		CONCRETE	CONCRETE + LINER	F1BERGLAS
	NEW 2026 Flexi Mini Pure 77574	 77575		
	NEW 2026 Flexi Mini Pure 77574			 77576*
	NEW 2026 Flexi Mini Pure 77577		 77578* (with 15663 wall towers) (compatible)	
 Mini beehives	Flexi Mini beehive 74392	 06967	 00369	 00369
	Flexi Mini L Nozzle 74393	 00300/ 00301*	 59983 17382*	 00336*
	Flexi Mini S Nozzle 74394	 35418*	 06544*	 74179*
	Flexi Mini Pipe 74395	 15661	-	-

Lumiplus Plug&Play PAR 56 lamp

LumiPlus Plug&Play

Easy to assemble, easy to control.

12	8	8		15
COLOUR	MODE	SPEED	SETTING	SIGNAL

MADE IN EUROPE

SALT WATER

PLUG&PLAY PAR56 BULBS

PAR56 Plug&Play BULBS

Easy to install and control, LumiPlus Plug&Play PAR56 bulbs feature a very intuitive RGB control system that requires no modifications to the electrical panel. The compatibility of PAR56 bulbs[1] makes them a perfect retrofit solution.

ORDINARY	Code	Light Color Efficiency		Strength	Lumen unit price EURO	
PAR56 Plug&Play bulb	76591M	RGB	A G	34.5 W (45 VA)	2,000 lm	205.00
Kit includes 1x PAR56 Plug&Play bulb + remote control	76592M	RGB	A G	34.5 W (45 VA)	2,000 lm	340.00
Kit 2xPAR56 Plug&Play bulbs + remote control	76593M	RGB	A G	34.5 W (45 VA)	2,000 lm	530.00

The Plug&Play remote control is compatible with model 74399.

MADE IN EUROPE

SALT WATER

LUMIPLUS

Lumiplus Design Projector

The LumiPlus Design spotlight is a high-powered underwater spotlight that can be mounted on housings with a diameter of 180 mm.

The frame is available in stainless steel effect and pure white.

The projector is available in 3 different 1K color options: white 5700K, warm white 3000K, and RGB multicolor. The RGB versions are compatible with the LumiPlus Connect Controller, code 76290, and the LumiPlus RGB ECO push button, code 32458.

Rated voltage: 12Vac. IP68 protection. 2.5 m cable included.

	Code	Frame color	color	Productivity	Strength	Lumen	Unit price1 EURO
White frame	59807	White	White	D	32 W (35 VA)	4,320 lm	620.00
White frame	59807WW	White	Hot White	D	32 W (35 VA)	4,320 lm	660.00
Stainless steel effect frame	59805	Stainless steel	White	D	32 W (35 VA)	4,320 lm	660.00
Stainless steel effect frame	59805WW	Stainless Steel	Hot White	D	32 W (35 VA)	4,320 lm	660.00
White Frame	59803	White	RGB	F	32 W (42 VA)	2,500 lm	670.00
Stainless steel effect frame	59801	Stainless Steel	RGB	F	32 W (42 VA)	2,500 lm	700.00

Hive for LumiPlus Design

Assembly Types	Projector Types	Pool Types		
		Reinforced concrete	REINFORCED CONCRETE + LINER	
			Contal1	Contas1z
180mm Casings	LumiPlus Design	59813	59814	59815

LUMIPLUS ESSENTIAL

NOW IT'S COLORFUL

The LumiPlus Essential series offers a seamless transition to LED pool lighting. Choose the color that best complements your pool to achieve the perfect harmony between the light and the pool.

Ready-to-install Color Projectors

PAR56 Projectors

FLATProjectors

Easy Color Differentiation

RAPID
Projectors

+ Colorful frames

MINI
Projectors

+ Colorful frames

MADE IN EUROPE

SALT WATER

LUMIPLUS ESSENTIAL
PAR56 Bulbs

LumiPlus Essential PAR56 LED bulbs are a simple, reliable, and effective LED conversion solution.
Compatible with PAR56 projectors and available in the following color types: white, warm white, RGB, and RGB RC1100 for remote control compatibility. Operates on 12V AC. Includes a 2.5m cable.

	Code	ColorLight Color		Strength	Lumen	Unit price1 EURO
PAR56 White Bulb	73761	White	E	14.5 W (20 VA)	1.485 lm	89.00
PAR56 Warm White Bulb	73761WW	Hot White	E	14.5 W (20 VA)	1.485 lm	89.00
PAR56 RGB Bulb	75767	RGB	G	22 W (29 VA)	1,100 lm	120.00
PAR56 RGB RC1100 Bulb + remote control	75771	RGB RC1100	G	22 W (29 VA)	1,100 lm	260.00
PAR56 RGB RC110 Bulb	75772	RGB RC1100	G	22 W (29 VA)	1,100 lm	175.00

RGB: Can be controlled with the Basmal1 button 32458, LumiPlus Range Extender 64633 + RC1100 remote control 75773 or LumiPlus Connect remote control 76290.
The RC1100 remote control is not compatible with the LumiaPlus Range Extender without it.

RGB RC1100: Compatible with remote control 75773.
And it comes with the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290.

MADE IN EUROPE

SALT WATER

PAR56 projectors

LumiPlus Essential PAR56 floodlights offer a reliable and effective transition to LED in an easy way. They are compatible with AstralPool's 230mm housings, operate at 12Vac, and are available in the following light types: white, warm white, RGB, and RGB RC1100 for remote control compatibility. Includes a 2.5m cable. Housings are available in white, beige, grey, or anthracite.

	Code	Frame color	color	Efficiency	Strength	Lumen	Unit price1 EURO
PAR56 White projector	70870	White	White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 white projector. Beige frame.	70870CL090	Beige	White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 white projector. Grey frame.	70870CL129	Gray	White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 white projector. Anthracite frame.	70870CL144	Anthracite	White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 S1 Warm White projector White frame	70870WW	White	Hot White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 warm white projector. Beige frame.	70870WWCL090	Beige	Hot White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 warm white projector. Grey frame.	70870WWCL129	Gray	Hot White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 warm white projector. Anthracite frame.	70870WWCL144	Anthracite	Hot White	E	14.5 W (20 VA)	1.485 lm	155.00
PAR56 RGB projector with white frame	75435	White	RGB	G	22 W (29 VA)	1,100 lm	185.00
PAR56 RGB RC1100 projector with white frame	75778	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	260.00

RGB: Can be controlled with the push-button 32458, LumiPlus Range Extender 64633 + RC1100 remote control 75773 or LumiPlus Connect remote control 76290.
The RC1100 remote control is not compatible with LumiaPlus Range Extender. RGB
RC1100: Compatible with remote control 75773.
And as a reference, you can use the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290.with.

Flexi kits consist of a Flexi lamp, mounting system, and white frame.

MADE IN EUROPE

SALT WATER COMPATIBLE

LUMIPLUS ESSENTIAL

PAR56 Projector Kit + Housing - Concrete Pool

LumiPlus Essential PAR56 floodlight kits consist of a PAR56 floodlight and a housing designed for concrete swimming pools. It operates on 12Vac and is available in the following light types: white, warm white, RGB, and RGB RC1100 for remote control compatibility. Includes a 2.5m cable.

Reinforced Concrete Pool		**color** Efficiency color			Strength	**Lumen**	Unit price1 EURO
White complete projector for PAR56	66828	White	White	E	14.5 W (20 VA)	1.485 lm	185.00
S1 Warm White projector complete for PAR56	66828WW	White	Hot White	E	14.5 W (20 VA)	1.485 lm	185.00
PAR56 RGB complete projector for concrete.	75437	White	RGB	G	22 W (29 VA)	1,100 lm	185.00
PAR56 RGB RC1100 complete projector + remote control	75781	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	370.00
PAR56 RGB RC1100 complete projector	75782	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	300.00

RGB: Button 32458 can be controlled with LumiPlus Range Extender 64633 + RC1100 remote control 75773 or LumiPlus Connect remote control 76290. It is not compatible with the RC1100 remote control without the LumiPlus Range Extender.

RGB RC1100: Compatible with remote control 75773.
And it comes with the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290.

K1TLER

Flexi kits consist of a Flexi lamp, mounting system, and white frame.

Kit PAR56 projectors + housing-liner pool

LumiPlus Essential PAR56 projector kits consist of a PAR56 projector and a housing designed for liner pools. It operates at 12Vac and is available in the following light types: white, warm white, RGB, and RGB RC1100 for remote control compatibility. Includes a 2.5m cable.

Liner Pool	Code	**color** Productivity color			Strength	**Lumen**	Unit price1 EURO
PAR56 white complete projector set + cable hose	77065P	White	White	E	14.5 W (20 VA)	1.485 lm	215.00
PAR56 RGB complete projector set + cable hose	77066P	White	RGB	G	22 W (29 VA)	1,100 lm	240.00
PAR56 RGB RC1100 complete projector set + remote control + cable hose	77068P	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	410.00
PAR56 RGB RC1100 complete projector set + cable hose	77067P	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	340.00

RGB: Button 32458 can be controlled with LumiPlus Range Extender 64633 + RC1100 remote control 75773 or LumiPlus Connect remote control 76290. It is not compatible with the RC1100 remote control without the LumiPlus Range Extender.

RGB RC1100: Compatible with remote control 75773.
And it comes with the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290.

LumiPlus Essential Flat projectors are surface-mount projectors, operate on 12Vac, and are available in the following light types: white, warm white, RGB, and RGB RC1100 for remote control compatibility. They include a 2.5m cable. Frames are available in white, beige, gray, or anthracite.

ORDINARY	Code	Frame color	color	Efficiency	Strength	Lumen	Unit price1 EURO
Flat projector White	75821	White	White	E	14.5 W (20 VA)	1.485 lm	160.00
Flat RGB projector	75824	White	RGB	G	22 W (29 VA)	1,100 lm	195.00
Flat projector RGB RC1100 + remote control	75825	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	335.00

GB: The Basmal1 button 32458 can be controlled with the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290. It is not compatible with the RC1100 remote control without the LumiPlus Range Extender.

RGB RC1100: Compatible with remote control 75773.
And it comes with the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290.

MADE IN EUROPE

SALT WATER

Mini projector (Housing Mounting)

LumiPlus Essential Mini floodlights are compact, sleeve-mounted LED floodlights that operate at 12Vac. They are available in the following light types: white, warm white, and RGB. Includes a 2.5m cable.

	Code	Frame color	color	Productivity	Strength	Lumen	Unit price1 EURO
Mini White beehive assembly	76680	White	White	F	4 W (6 VA)	315 lm	165.00
Mini S1 Warm White beehive assembly	76680WW	White	Hot White	F	4 W (6 VA)	315 lm	165.00
Mini RGB housing mount	76682	White	RGB	G	4 W (7 VA)	186 lm	190.00

RGB: Can be controlled with Basmal1 button 32458, LumiPlus Range Controller 64633 + RC1100 remote control 75773 or LumiPlus Connect controller 76290.
LumiaPlus Range is not compatible with the RC1100 remote control without a GeContactor.

MADE IN EUROPE

SALT WATER

Projector (Nozzle Mounting)

LumiPlus Essential Mini floodlights are small, wall-mounted LED floodlights that operate on 12Vac. They are available in the following color types: white, warm white, and RGB. Includes a 2.5m cable.

	Code	Frame color	I_1k color	Efficiency	Strength	Lumen	Unit price1 EURO
Mini White Slip-on	76681	White	White	F	4 W (6 VA)	315 lm	175.00
Mini S1 Warm White Snap-on	76681WW	White	Hot White	F	4 W (6 VA)	315 lm	175.00
Mini RGB fast switching	76683	White	RGB	G	4 W (7 VA)	186 lm	190.00

RGB: Button 32458 can be controlled with LumiPlus Range Controller 64633 + RC1100 remote control 75773 or LumiPlus Connect controller 76290.
LumiaPlus Range is not compatible with the RC1100 remote control without a GeContactor.

LUMIPLUS ESSENTIAL

RAPID PROJECTORS

MADE IN EUROPE

SALT WATER

LumiPlus Essential Rapid floodlights for concrete pools can be mounted on any nozzle with a 1 ½" inner thread. They operate on 12Vac and are available in the following light types: white, warm white, RGB, and RGB RC1100. Includes a 2.5m cable for remote control compatibility.

Reinforced Concrete Pool	Code	frame color	color	Productivity	Strength	Lumen	Unit price1 EURO
Rapid projector White	62327	White	White	E	14.5 W (20 VA)	1.485 lm	180.00
Rapid Projector S1 Warm White	62327WW	White	Hot White	E	14.5 W (20 VA)	1.485 lm	195.00
Rapid projector RG	62328	White	RGB	G	22 W (29 VA)	1,100 lm	215.00
Rapid projector RGB RC1100 remote control	62393	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	320.00
Rapid projector RGB RC1100	64561	White	RGB RC1100	G	22 W (29 VA)	1,100 lm	250.00

RGB: Button 32458 can be controlled with LumiPlus Range Extender 64633 + RC1100 remote control 75773 or LumiPlus Connect remote control 76290.
The RC1100 remote control is not compatible with the LumiaPlus Range Extender without it.

RGB RC1100: Compatible with remote control 75773.
And it comes with the LumiPlus Range Extender 64633 + RC1100 remote control 75773 or the LumiPlus Connect remote control 76290.

Hive Guide

Essential

ASSEMBLY TYPE	PROJECTOR TYPE	POOL TYPE				
		CONCRETE	CONCRETE + LINER		F1BERGLAS	
			Contal1	Contas1z	Contal1	Contas1z
230 mm casings	Standard Projector PAR56	00349	17805	72261	00364	28887
	Flat projector	Assembly ba lant1 parts1 with a projector given together	-	-	Assembly start lant1 parts1 projector is supplied with	
	Rapid	35418*	59983 17382*	06544*		74179*
	Snap-on mini beehive	06967	00369	-	00369	-
	Mini wall Nozzles1	15661	-	-	-	-

MADE IN

Lumiplus Mini SPA

The LumiPlus Mini SPA projector is a small underwater projector designed for spas. The frame is available in stainless steel or white ABS.
It is secured between a bolt and a 2" nut.
The projector is available in 3 different 1K color options: white 5700K, warm white 3000K, and RGB multicolor. The RGB versions are compatible with the LumiPlus Connect Controller, code 76290, and the LumiPlus RGB ECO push button, code 32458.

Rated voltage: 12Vac. 2.5 m cable included.

	Code	Frame Color	Light Color	Efficiency	Strength	Lumen	Unit EURO (standard Package standard weight)
Mini SPA W projector. White frame.	52132	White	White	F	4 W (6 VA)	315 lm	315.00
Mini SPA WW projector. White frame.	52132WW	White	Hot White	F	4 W (6 VA)	315 lm	315.00
Mini SPA W projector. Stainless steel frame.	52133	Stainless steel	White	F	4 W (6 VA)	315 lm	335.00
Mini SPA RGB projector. White frame.	52126	White	RGB	G	4 W (7 VA)	186 lm	330.00
Mini SPA RGB projector. Stainless steel frame.	52127	Stainless steel	RGB	G	4 W (7 VA)	186 lm	360.00

LumiPlus Micro SPA

MADE IN EUROPE

LumiPlus Micro SPA is a micro-sized underwater projector for spas. The frame can be made of stainless steel or white ABS.
The projector can be secured with bolted and 1" 1/4" nuts. It is available in 3 different brightness types: white 5700K, warm white 3000K, and RGB multicolor. For RGB versions, use the LumiPlus Connect Controller (code 76290) and the LumiPlus RGB ECO push button (code 32458). Rated voltage: 12Vac. A 2.5m cable is included.

	Code	Frame Color	Light color	Efficiency	Strength	Lumen	Unit price EURO
Micro SPA W projector. White frame.	40765	White	White	F	4 W (6 VA)	315 lm	315.00
Micro SPA W projector. Stainless steel frame.	40766	Stainless steel	White	F	4 W (6 VA)	315 lm	360.00
Micro SPA WW projector. Stainless steel frame.	40766WW	Stainless steel	Hot White	F	4 W (6 VA)	315 lm	360.00
Micro SPA RGB projector. White frame.	64554	White	RGB	G	4 W (7 VA)	186 lm	320.00
Micro SPA RGB projector. Stainless steel frame.	64555	Stainless steel	RGB	G	4 W (7 VA)	186 lm	360.00

LIGHTING
YOUR FINGERS
AT THE END

ALWAYS
FROM EVERYWHERE
CONTROL

VER1ML1L1 E
WE ARE FOCUSING

Connection control systems

Product Image	Colour	CODE	Features	Projector compatibility	Unit Price EURO
	LumiPlus Connect control device1	76290	The LumiPlus Connect Controller, operating via a smartphone and the Fluidra Pool App, provides the following: Absolute lighting control from anywhere; Customization of colors and color change sequences; Color change speed control; Dimming: Control of light intensity; Timing: Setting your own schedules; Voice control: Alexa compatible. Optionally, the LumiPlus Connect Controller can also be controlled remotely for an even more convenient experience.	LumiPlus Connect lamp-lar1 and pro-injectors, Lu-miPlus Design RGB, LumiPlus Essential RGB, LumiPlus Mini SPA and Micro SPA RGB.	470.00
	LumiPlus Connect W/ TW remote remote control1	76291	The LumiPlus Connect W/TW remote control provides easy live control of your LumiPlus Connect lights. It should always be used with the LumiPlus Connect remote control.	LumiPlus Connect white, warm white and adjustable white lamps and projectors.	208.00
	LumiPlus Connect RGB/RGBW from afar control	76292	The LumiPlus Connect M/MW remote control provides easy live control for your LumiPlus Connect lights. It should always be used with a LumiPlus Connect controller.	LumiPlus Connect RGB and RGBW lamps and projectors.	208.00

Control systems

MADE IN EUROPE

LumiPlus Plug&Play

Easy to install, easy to control.

SIMPLTO
EASY POOL CONTROL

SMART
LIGHTING CONTROL UNDER

TOFICITONT
THE MOST RELIABLE REMOTE CONTROL CONTROL

Plug&Play control system

Product Image	Name	Features	Projector Compatibility	Code	Unit EURO
	LumiPlus Plug&Play Control System	PLUG&PLAY is the best in its category. It concentrates high technology in an extremely compact design that allows us to achieve high lighting performance. Features: 12 colors: cool white, warm white, yellow, orange, red, magenta, purple, bluish purple, cyan, blue, turquoise and green. "8 sequences, 8 speeds and intensity control. GeCoven signal range 1.15 meters." "Do not choose the color directly." "Color feedback: The remote control emits a 1k signal with each command." "1 improved color quality and higher 1k power 1k dots1." "Compatible only with Plug & Play devices."	-Lumiplus -Plag and Play lamps	74399	235.00

Control systems

MADE IN EUROPE

LumiPlus Essential

BASIT
UNCOMPLICATED
SWITCH TO LED_

AKILLI
CURRENT RELIABILITY

MAKE YOUR POOL MORE EFFICIENT
ONE_PLEASE PROVIDE ILLUMINATION IN THE FILM.

Basic control systems

Product Image	Product	Code	Features	Projector compatibility	Unit Price EURO
	ESSENTIAL 1100 FROM A DISTANCE **CONTROL**	75773	The LumiPlus RC1100 remote control allows wireless control of RGB RC1100 projectors. Features: 12 colors. 8 color changing sequences. 8 color changing speeds. 5 meter signal range. The signal can be extended with the 64633 LumiPlus Range Extender.	LumiPlus Essential RGB RC1100 lamps and projectors	150.00
	LumiPlus Range Expander	64633	The remote control extends the RC1100 signal. It is ideal for installations where the RC1100 remote control signal needs to be stronger due to architectural features or installation type. The remote control can control and synchronize up to 3 Essential RGB projectors together with the RC1100. The remote control must always work together with the RC1100.	LumiPlus Essential RGB and RGB RC1100 lamps and projectors.	185.00
	LumiPlus RGB ECO control device1	32458	LumiPlus RGB ECO is a normally closed push-button switch that can control 14 different operating modes: 7 solid colors and 7 color changing sequences. Each press of the button sets the next mode.	LumiPlus Essential RGB lamps1 and projectors, LumiPlus Design RGB, LumiPlus Mini SPA and Micro SPA RGB	180.00

LIGHTING FOR ENERGY EFFICIENCY

From 1 September 2012, the energy efficiency of all 1_1k sources has been governed by European Regulation 2019/2025, which repeals the previous regulation (EU) 874/2012.
It must be labeled according to the regulations.

Current label

Previous label

The best solution for LED9s is the mid-range 1n1z

To provide additional information to both installers and customers. The inclusion of a QR code provides access to the European EPREL database, where detailed product specifications are available.

To encourage advancements in lighting technology by facilitating the implementation of a new energy classification system.

To increase the monitoring of products manufactured within the EU through the use of QR codes.

The new classification should be indicated on the label and on the unit packaging, as well as in catalogs and product data sheets, using the following symbol:

SALT WATER

Halogen lamps

It is used as a replacement for PAR56 and dichroic halogen lamps. It operates at 12Vac.

	Code	I_1k Color	Strength	Unit Price EURO
Halogen PAR56 Bulb	00370/1	White	300W	25.00

Halogen PAR56 projectors

PAR56 floodlights containing 300W 12Vac halogen lamps. Kits including a housing and housingless floodlights compatible with 230mm diameter housings are available.
The spotlights must always be operated underwater.

	Code	Frame colorI_1k color		Strength	Unit price1 EURO
Concrete pool projector	07844	White	White	300 W	80.00
Concrete pool projector	07843	Stainless steel	White	300 W	81.60
Liner pool spotlight	07856	White	White	300 W	100.00

Mini projector (Easy Switch)

GX-5.3 50W 12V AC quick-assembly mini projectors containing an aluminized halogen bulb.
Compatible with wall mount 15661.
The spotlights must always be operated underwater.

	Code	Frame colorI_1k color		Strength	Unit price1 EURO
Plastic body, snap-on type.	33708	White	White	50 W	120.00

Unik connection boxes

Made of ABS, it has a cover designed to integrate seamlessly with the pool perimeter. It can be mounted on Ø50 pipe or hose.
All the gear connections are M-25 and can be manipulated after assembly.

	Code	standard Package	standard weight kg	Unit price EURO
White	75971	12	6.692	37.00
Beige	75971CL090	12	6.692	40.00
Gray	75971CL129	12	6.692	40.00
Anthracite	75971CL144	12	6.692	40.00

Standard connection boxes

Made from ABS. Available in white, beige, grey, and anthracite colors.
Can be mounted on Ø50 pipe or hose.
All the gear connections are M-25 and can be manipulated after assembly.

	Code	standard Package	standard weight kg	Unit price EURO
White	75972	12	5.3	27.00
Beige	75972CL090	12	5.3	29.00
Gray	75972CL129	12	5.3	29.00
Anthracite	75972CL144	12	5.3	29.00

Stainless steel connection boxes

Made of AISI-316 stainless steel. Two PG16 - M25 converters with two PG15 threaded side outlets. 3/4" BSP threaded bottom connection.

	Code	Standard Package	Standard a 1rl1k kg	Unit price in EURO
Stainless steel	00393	20	12.3	250.00

MADE IN EUROPE

230 mm casings

ABS housings with an inner diameter of 230 mm, compatible with FlexiKovan and PAR56 floodlights. Housings are available for concrete pools, berglas, liner and panel pools, with or without additional parts.

	With/Without Gasket	Code	Unit price EURO
concrete pool	without gasket	00349	27.00
Liner pool	with gasket	17805	72.00

MADE IN EUROPE

180 mm casings

ABS housings with an inner diameter of 180 mm, compatible with FlexiKovan and design projectors. Available with or without inserts, for housings, concrete pools, and berglass or lined pools.

	With/Without Gasket	Code	Unit price EURO
Fiberglass pool/Liner pool	with gasket	59814	72.00

MADE IN EUROPE

Stainless steel casings

FlexiKovan are AISI 316 stainless steel housings designed to fit fully stainless steel floodlights. Two types of housings are available: one for concrete pools and the other for both lined and berglass pools.

	With/Without Gasket	Code	Unit price EURO
concrete pool	with gasket	54102	240.00
Liner pool	with gasket	54103	355.00

MADE IN EUROPE

MADE IN EUROPE

Mini Beehives

ABS housings for FlexiMini Housing or Essential Mini Housing floodlights. Housings are available for concrete, fiberglass, liner and panel pools and feature brass fittings.

	Flanged / snap-on	Code	Unit price EURO
concrete pool	with gasket	06967	62.00
Liner pool	with gasket	00369	78.00

FlexiPure Hives

ABS housings with an inner diameter of 180 mm, compatible with FlexiPure projectors. Frames 77572 fit housings 59813, and frames 77573 fit housings 77579, 59813, 00349, and 00355.

Type of swimming pool	With/Without Gasket	Code	Unit Price EURO
concrete pool	Without gasket	59813	120.00
Liner pool	Gasketed	77579	160.00

MADE IN EUROPE

FlexiMini Pure Beehives

ABS housings and nozzles compatible with FlexiMini Pure projectors. Frame 77574 fits housing 77575 and polyester pool housing 77576, while frames 77577 fit liner housing 77578.

MADE IN EUROPE

Type of swimming pool	Flanged / snap-on	Code	Unit yacht EURO
concrete pool	unexpected	77575	65.00
Liner pool	lucky	77578	70.00

MADE IN EUROPE

SALT WATER

Lamp cable hose

Cable channel for connecting the lighting housing to the connection box. Available in 1 meter and 1.5 meter lengths.

	Code	Standard Package
Flexible cable hose. 3/4'' threaded and M25 ends. 100cm.	28138	12.00
Flexible cable hose. 3/4'' threaded and M25 ends. 150cm.	28138-150	12.00
M25 socket connector	10892-0404	12.00

MADE IN EUROPE

SALT WATER

Other Accessories

	Code	Standard Package	Standard weight kg	Unit sleep EURO
Waterproof cable gland cover for attaching to Ø50mm pipe.	65286	50	4	12.00
Threaded mounting kit for adapting LumiPlus Design projectors to other Ø180mm housings.	59818	25	2	26.00

Aquarmony underwater speaker

EXPLANATION

Designed for listening to music and sounds underwater, creating a magical and unique atmosphere. Aquarmony is a leak-proof, waterproof speaker designed for your pool. It is made from high-quality components, innovative technology, and a mounting system that ensures proper operation in saltwater or high chlorine levels. Easy installation.

	Code	Standard PACKAGING	Standard weight kg	Standard Volume m3	Unit Price EURO
Aquarmony underwater speaker.	**25680**	-	-	0.01	**3,100.00**
Housing for reinforced concrete	**00349**	-	-	0.01	**27.00**
pools. Housing for liner pools.	**00364**	-	-	0.01	**64.00**

Note: The casings come with a packing box assembly and a 1.5 m cable washer specifically designed for the Aquarmony series.

TECHNICAL SPECIFICATIONS

Maximum power	60 W
Impedance	4 ohm
Frequency	200-12000 Hz
Maximum space per speaker.	80 m2
Maximum mounting depth	40 cm
A 1rl1k	5 kg
Cable length	5 m

Amplifier system and speakers

KITMEZZO322A2 / KITMEZZO324A4

EXPLANATION

KITMEZZ0322A2 -
The amplifier system is pre-configured to connect a maximum of 2 underwater speakers.

- **2-channel amplifier.**
- **Analog inputs on EUROblock and 3.5 mm stereo jack, outputs on EUROblock.**
- **DSP control over Ethernet.**
- **Dimensions 210x275x40.**
- **Weight: 2.6 kg.**
- **4x160W**
- **Impedance: 4 Ohm - 8 Ohm**
- **It is completed with 2 double-insulated audio transformers.**

KITMEZZO324A4-
The amplifier system is pre-configured to connect a maximum of 4 underwater speakers.

- **2-channel amplifier.**
- **Analog inputs on EUROblock and 3.5 mm stereo jack, outputs on EUROblock.**
- **DSP control over Ethernet.**
- **Dimensions 210x275x40.**
- **Weight: 2.6 kg.**
- **4x80W**
- **Impedance: 4 Ohm - 8 Ohm**
- **It is completed with 4 double-insulated audio transformers.**

	Code	Standard PACKAGING	Standard weight	Standard Volume m3	Unit Price EURO
Amplifiers and speakers	**KITMEZZ0322A2**	-	-	0.01	**5,500.00**
Amplifiers and speakers	**KITMEZZO324A4**	-	-	0.01	**6,000.00**

NL LED LAMPS

EASY-TO-ASSEMBLE, ECO-FRIENDLY LIGHTING.

Pool lighting is crucial for enhancing the quality of your pool.

Zodiac® NL LED lampswhile ensuring this high quality**Advantages include both energy saving and easy installation.**It offers. They are assembled during the 1n_aat process and**innovative, barrier-free**It can be used in all pool types using a technology.

> LED LIGHTING: AN ENERGY SAVING INNOVATION!

Energy efficiency: Up to 90% energy savings.with powerful lighting (compared to incandescent or halogen lamps).

Long lifespan:compared to traditional halogen bulbs**Up to 10 times**It lasts longer.

1 classic projector
Total consumption: 300 W.
Annual electricity cost = ¬37

Calculations are based on 4 hours/day usage throughout the season (6 months) and ¬0.1694 / kWh (French average).
The prices were calculated based on (1) the following.

3 x 12 W NL LED lamps.
Total consumption: 27 W.
Annual electricity cost = 9 ¬

> "SCREWLESS" ASSEMBLY: EVERYWHERE, EASY AND FAST!

Fast & Easy: Zodiac® NL LED lights[1] do not require a traditional housing, are mounted via a standard 1.5" wall penetration[1] and are compatible with all types of pool surfaces (liner/PVC, reinforced concrete, polyester, etc.).

Compact: It provides a perfectly intelligent and aesthetically pleasing look to the pool and is compatible with all types of pool cleaning robots (it does not have a height that would obstruct cleaning robots).

> COMPACT AND POWERFUL LAMPS: ADJUSTABLE AMBIENT LIGHTING!

Free and creative: NL LED lighting with its RGBW technology. **geKovan is a color variant and ambient lighting.**It presents option i.

Sophisticated and peaceful.
an atmosphere

Continuously above 1,500 i_en
an electric atmosphere with its colors

Red, white and blue colors, stars
a lighting show in the form of

With 32-color display
a carnival atmosphere

With hundreds of colors
brought night life

Easy to use: Zodiac® eXO® iQ smart salt electrolyzers (LS and standard versions) are 100% compatible with Hydroxinator® iQ and the Command Connect cabinet. They can be controlled from your smart phone via the Fluidra Pool App.

INFORMATION

With RGBW LED 1LE, there's no need to choose between white and various colors!
Zodiac®NL LED lighting uses innovative RGBW technology (Red-Green-Blue-White) to add white to the three primary colors. This feature allows you to create an endless color palette or have pure white lighting.

ZODIAC LED LIGHTING

NL LED LIGHTING WITHOUT FRAME

The housingless projectors are suitable for 1" 1/2" nozzles. Available in white and RGBW, and in three different power outputs: 6W, 12W, and 24W.

It operates at 12Vac. The cable length is 3 meters.

RGBW models provide 9 fixed colors and 5 multi-color lighting environments.
When controlled by the Command Connect cabinet, it is compatible with the Fluidra Pool app.

+ Perfect integration for a sophisticated pool experience.
+ Powerful LED lighting.
+ Energy saving.

PRODUCT CODE & PRICE

NL	6RGBW	12RGBW	24RGBW	6BW	12BW	24BW
Standard Model	WT000233	WT000234	WT000235	WT000236	WT000237	WT000238
Unit Price EURO	235.00	255.00	260.00	235.00	255.00	260.00

SALT WATER

ACCESSORIES

Lamp Cables1

H07RN-F cable reels are designed in accordance with underwater lighting regulations and are available in different cross-sections and lengths.

	Code	Standard Package	Standard weight kg	Unit price1 EURO
Cable K2x1.5mm²-30m	74673	1	3	170.00
Cable 2x2.5mm²-30m	71649	1	4.6	180.00

MADE IN EUROPE

SALT WATER

Polyester based Underwater Connections

The kit includes all the necessary components to create any waterproof connection. Due to the product's properties, the resin seals all gaps. Maximum safety, easy installation, ready for submersion in water within 2 hours.

	Code	standard Package	standard weight kg	Unit price1 EURO
Kit for Ø8 to Ø12mm cables.	35661	20	5.48	46.00
Kit for Ø13 to Ø15mm cables.	32803	20	5.48	48.00

SALT WATER

Underwater connections

The kit includes 5 underwater connectors and 2 switches. The connectors are 4-pole, have an IP68 protection rating, and can accommodate cable cross-sections up to 2.5 mm².

	Code	standard Package	standard weight kg	Unit price1 EURO
kit of 5xUnderwater connectors + wrenches	71318	24	4.2	110.00

IP-20 Transformers

A range of transformers that convert 230V AC to 12V AC.

"Compact design."
"Suitable for all types of circuit boards."
Quick and easy installation.
"Connection via terminals protected against indirect contacts. Up to 40 m between spot 1_1 and transformer."
"Manufactured in accordance with UNE-EN-61558-2-6 Standard.
IP-20 protection rating."
"Resistant to aging body."

	Code	standard Package	standard weight kg	Unit price1 EURO
100VA	00383-1369	10	25	85.00
300VA	00384-1369	6	4.15	135.00
600VA	00385-1369	1	8.5	200.00
130VA	00383-4146	1	1.86	85.00

Boxed transformers

IP65 protection rating.
From 230Vac to 12Vac-17Vac
Class II transformer providing complete protection against electric shock.

"Compact design."
"Fast and easy installation."
"Connection via terminals protected against indirect contacts. Up to 40 m between spot 1_1 and transformer."
"Manufactured in accordance with UNE-EN-61558-2-6 Standard. IP-65 protection rating."
"Self-extinguishing casing IEC 695-2-1"

	Code	standard Package	standard weight kg	Unit price1 EURO
130VA	35807	1	3.1	170.00
400VA	35385	1	6.8	200.00
800VA	35386	1	11	315.00